

HIGHLINE PORTAFAB FULL ROTATION ATTACHMENTS



Highline offers a variety of full rotation attachments to suit your needs. HPF rotation attachments feature 360° full rotation, and are available in both free hanging and articulated models.

AVAILABLE MODELS

- CLAM BUCKETS
- BRUSH RAKES
- LOG GRAPPLES

- GRAPPLE / HEEL COMBO
- DEMOLITION GRAPPLES
- PIPE / BARREL HANDLERS

HPF INC.

20105 BROADWAY AVE SNOHOMISH, WA 98296

OFFICE: 425-486-8031 FAX: 360-668-4833

WWW.HPF.COM EMAIL: DHUNT@HPF.COM

CLAM BUCKETS



FEATURES:

- Free Hanging or Articulating
- HD Rotek™ Bearing
- High Tensile Steel Construction
- Replaceable Bucket Teeth
- High Pressure Swivel
- 4140 Induction Hardened Pins
- High Pressure Swivel
- High Torque Motor with Relief and Single Planetary
- Cat[™] Case Hardened Bushings
- Cusionstop Cylinders with Iron Piston and Cat™ Style Packing

OPTIONS

- Hydraulic Kits
- Installation
- Quick Couplers
- Interchangable jaws
- Cab Controlled Bearing Lock

LOG GRAPPLES AND HEEL RACKS

HPF Grapples and Heel Racks are engineered to fulfill todays logging needs. Small closure to large maximum opening and single to multiple log handling are considered with each model. High pressure swivels, high pressure cushioned cylinders, continuous rotation and high tensile steel construction promise efficient, durable and fast grapples.

FEATURES

- High Torque Motor with Built-in Relief Valve
- HD Rotek™ Bearing
- High Pressure Swivel
- High Pressure Cuishioned with Load Lock Valves
- Fully Guarded

OPTIONS

- Heel Racks with Pin-on or Quick Attach Lugs
- Grapples Available with 42, 48 and 58"
 Openings Depending on Machine Size



SERVICE AND WARRANTY

All HPF products shown in this brochure are covered by our 6 month or 1000 hour warranty

RAKES AND DEMOLITION GRAPPLES



DEMOLITION GRAPPLE

FEATURES

- HD Rotek™ Bearing
- Heavy Duty Box Construction
- Replaceable Tine Teeth
- Fully Guarded
- 4140 Induction Hardened Pins
- High Pressure Swivel
- High Torque Motor with Relief and Single Planetary
- Cusionstop Cylinders with Iron Piston and Cat™ Style Packing

BRUSH RAKE

FEATURES

- HD Rotek™ Bearing
- High Tensile Steel Construction
- 360° Continous Rotation
- High Pressure Swivel
- High Torque Motor with Relief and Single Planetary
- Cat[™] Case Hardened Bushings
- 4140 Induction Hardened Pins
- Cusionstop Cylinders with Iron Piston and Cat™ Style Packing

<u>OPTIONS:</u> Quick attach lugging, Interchangable Jaws, Hydraulic Kits, Installation



HPF INC.

20105 BROADWAY AVE SNOHOMISH, WA 98296

OFFICE: 425-486-8031 FAX: 360-668-4833

WWW.HPF.COM EMAIL: DHUNT@HPF.COM